


STANDARD CMV KITS CMV KITS WITH DEHUMIDIFICATION

#control
#comfort
#exchange



RESIDENTIAL RECOVERY UNITS

AIR EXCHANGE

URC DOMO



HIGH-EFFICIENCY HEAT RECOVERY UNIT UP TO 90%

- Self-supporting frame and sheet metal panels with high-density EPS insulation inside
- High-efficiency countercurrent cross-flow polypropylene exchanger
- Brushless fans with electronic motor and constant flow control with 3 selectable levels
- Free cooling with automatic management through temperature probes
- ePM1 - 80% filters with low pressure drops
- Electrical panel complete with management board: 4-speed fan management, automatic bypass, temperature probes, post-heating coil management and automatic dirty filter warning
- CNV control panel with remote management via APP

H-HORIZONTAL INSTALLATION



Code	Flow rate (m³/h) Useful pressure 100 Pa	Connection diameter (mm)	Price per unit/€	Controller Code	Price per unit/€
URC-DOMO020HI	170	125	2,595.30	CNW	256.00
URC-DOMO030HI	300	160	2,874.50	CNW	256.00
URC-DOMO040HI	375	160	3,337.70	CNW	256.00
URC-DOMO050HI	480	160	3,521.70	CNW	256.00

V-VERTICAL INSTALLATION



Code	Flow rate (m³/h) Useful pressure 100 Pa	Connection diameter (mm)	Price per unit/€	Controller Code	Price per unit/€
URC-DOMO020VI	180	125	2,595.30	CNW	256.00
URC-DOMO030VI	320	160	2,963.40	CNW	256.00
URC-DOMO040VI	385	160	3,242.60	CNW	256.00
URC-DOMO050VI	480	160	3,426.50	CNW	256.00

URC DOMO SMALL



HIGH-EFFICIENCY HEAT RECOVERY UNIT UP TO 90%
COMPACT VERSION

- Self-supporting frame and sheet metal panels with high-density EPS insulation inside
- High-efficiency countercurrent cross-flow polypropylene exchanger
- Brushless fans with electronic motor and constant flow control with 3 selectable levels
- Free cooling with automatic management through temperature probes
- ePM1 - 80% filters with low pressure drops
- Electrical panel complete with management board: 4-speed fan management, automatic bypass, temperature probes, post-heating coil management and automatic dirty filter warning
- CNV control panel with remote management via APP
- Compact dimensions (L 580 x D 580 x H 255 mm)

Z-HORIZONTAL / VERTICAL INSTALLATION



Code	Flow rate (m³/h) Useful pressure 100 Pa	Connection diameter (mm)	Price per unit/€	Controller Code	Price per unit/€
URC-DOMOSMALL15ZI	140	160	1,814.90	CNW	256.00
URC-DOMOSMALL20ZI	201	160	2,087.70	CNW	256.00

URC DOMO ECO



HIGH-EFFICIENCY HEAT RECOVERY UNIT UP TO 90%
BASIC VERSION

- Self-supporting frame and sheet metal panels with polyethylene insulation inside
- High-efficiency countercurrent cross-flow polypropylene exchanger
- Brushless fans with electronic motor and modulating control
- ePM1 - 80% filters with low pressure drops
- Integrated bypass
- Electrical panel complete with circuit board and connections for remote panel
- CNV control panel with remote management via APP

Z-HORIZONTAL / VERTICAL INSTALLATION




Code	Flow rate (m³/h) Useful pressure 100 Pa	Connection diameter (mm)	Price per unit/€	Controller Code	Price per unit/€
URC-DOMOECO30ZI	310	160	2,559.90	CNW	256.00
URC-DOMOECO40ZI	410	160	2,754.90	CNW	256.00

KIT DIAGRAM

AIR EXCHANGE


KIT FOR RECOVERY UNIT Ø 125 CONNECTIONS



SUPPLY	RETURN	KIT CODE	KIT PRICE
2	2	KITCMV1252M/2R	€ 1,814.20
2	3	KITCMV1252M/3R	€ 1,941.50
3	2	KITCMV1253M/2R	€ 1,941.50
3	3	KITCMV1253M/3R	€ 2,068.80
3	4	KITCMV1253M/4R	€ 2,196.10
4	2	KITCMV1254M/2R	€ 2,068.80
4	3	KITCMV1254M/3R	€ 2,196.10
4	4	KITCMV1254M/4R	€ 2,323.40
5	2	KITCMV1255M/2R	€ 2,196.10
5	3	KITCMV1255M/3R	€ 2,323.40
5	4	KITCMV1255M/4R	€ 2,450.70
6	3	KITCMV1256M/3R	€ 2,450.70
6	4	KITCMV1256M/4R	€ 2,578.00
6	5	KITCMV1256M/5R	€ 2,705.30

KIT COMPONENTS											
OUTSIDE INTAKE / EXHAUST						SUPPLY / RETURN					
A	B	C	D	E	-	F	G	-	H	-	I
GR-EXT-FL160	AIR-MF160	AIR-RCPL160/125	PRO-EXT-D125	TER127	FSI60-270	PLENUMCMV-X6	AIR10003	AIR10109-P	PLENUMCMV-KIT	DAMPER-CMV75/90	GRILLECMV-1
2	4	4	2	10	8	2	50	48	4	4	4
2	4	4	2	10	8	2	50	48	5	5	5
2	4	4	2	10	8	2	50	48	5	5	5
2	4	4	2	10	8	2	50	48	6	6	6
2	4	4	2	10	8	2	50	48	7	7	7
2	4	4	2	10	8	2	50	48	6	6	6
2	4	4	2	10	8	2	50	48	7	7	7
2	4	4	2	10	8	2	50	48	8	8	8
2	4	4	2	10	8	2	50	48	7	7	7
2	4	4	2	10	8	2	50	48	8	8	8
2	4	4	2	10	8	2	50	48	9	9	9
2	4	4	2	10	8	2	50	48	9	9	9
2	4	4	2	10	8	2	50	48	10	10	10
2	4	4	2	10	8	2	50	48	11	11	11

KIT FOR RECOVERY UNIT Ø 160 CONNECTIONS



SUPPLY	RETURN	KIT CODE	KIT PRICE
2	2	KITCMV1602M/2R	€ 2,021.80
2	3	KITCMV1602M/3R	€ 2,149.10
3	2	KITCMV1603M/2R	€ 2,149.10
3	3	KITCMV1603M/3R	€ 2,276.40
3	4	KITCMV1603M/4R	€ 2,403.70
4	2	KITCMV1604M/2R	€ 2,276.40
4	3	KITCMV1604M/3R	€ 2,403.70
4	4	KITCMV1604M/4R	€ 2,531.00
5	2	KITCMV1605M/2R	€ 2,403.70
5	3	KITCMV1605M/3R	€ 2,531.00
5	4	KITCMV1605M/4R	€ 2,658.30
6	3	KITCMV1606M/3R	€ 2,658.30
6	4	KITCMV1606M/4R	€ 2,785.60
6	5	KITCMV1606M/5R	€ 2,912.90

KIT COMPONENTS											
OUTSIDE INTAKE / EXHAUST						SUPPLY / RETURN					
A	B	C	D	E	-	F	G	-	H	-	I
GR-EXT-FL200	AIR-MF200	AIR-RCPL200/160	PRO-EXT-D160	TER160	FSI60-270	PLENUMCMV-X6	AIR10003	AIR10109-P	PLENUMCMV-KIT	DAMPER-CMV75/90	GRILLECMV-1
2	2	2	2	10	8	2	50	48	4	4	4
2	2	2	2	10	8	2	50	48	5	5	5
2	2	2	2	10	8	2	50	48	5	5	5
2	2	2	2	10	8	2	50	48	6	6	6
2	2	2	2	10	8	2	50	48	7	7	7
2	2	2	2	10	8	2	50	48	6	6	6
2	2	2	2	10	8	2	50	48	7	7	7
2	2	2	2	10	8	2	50	48	8	8	8
2	2	2	2	10	8	2	50	48	7	7	7
2	2	2	2	10	8	2	50	48	8	8	8
2	2	2	2	10	8	2	50	48	9	9	9
2	2	2	2	10	8	2	50	48	8	8	8
2	2	2	2	10	8	2	50	48	9	9	9
2	2	2	2	10	8	2	50	48	10	10	10
2	2	2	2	10	8	2	50	48	11	11	11

URA R DOMO

COMPACT HIGH-EFFICIENCY HEAT RECOVERY UNIT UP TO 90%
DEHUMIDIFICATION AND COOLING INTEGRATION FOR RADIANT SYSTEM APPLICATIONS




- Self-supporting frame and double sheet metal sandwich panels with adhesive polyethylene insulation inside
- High-efficiency countercurrent cross-flow polypropylene exchanger
- Plug-and-play Brushless fans with electronic motor and Free cooling modulating control with automatic management through temperature probes
- ePM1 - 80% filters (outside intake/supply) + Coarse filter (recirculation) with low pressure drops
- Cooling circuit for dehumidification or cooling/heating integration
- On-board electrical panel with microprocessor and dedicated regulation: managing fans, temperature probe display, timed dirty filters, recirculating and fresh air management
- CNU control panel with integrated T/H sensor

2 MODELS:

- **D** - AIR EXCHANGE + DEHUMIDIFICATION (RECIRCULATION)
- **DC** - AIR EXCHANGE + DEHUMIDIFICATION (RECIRCULATION) COOLING INTEGRATION (INTEGRATED ADDITIONAL HYDRONIC COIL)

H-HORIZONTAL INSTALLATION




VERSION D

Code	DEHUM. / CMV air flow rate 100 Pa (m³/h)		Supply cross-section (mm)	Recir- culation diameter (mm)	Conne- ction di- ameters (mm)	Price per unit/€	Controller Code	Price per unit/€
URAR-DOMO3015HDI	297	154	350x180	160	125	5,155.40	CNU	267.10
URAR-DOMO4020HDI	391	199	350x180	160	125	5,621.80	CNU	267.10
URAR-DOMO5025HDI	520	265	490x255	200	160	5,781.40	CNU	267.10
URAR-DOMO6030HDI	619	313	490x255	200	160	6,567.20	CNU	267.10

VERSION DC

Code	DEHUM. / CMV air flow rate 100 Pa (m³/h)		Supply cross-section (mm)	Recir- culation diameter (mm)	Conne- ction di- ameters (mm)	Price per unit/€	Controller Code	Price per unit/€
URAR-DOMO3015HDCI	297	154	350x180	160	125	5,506.70	CNU	267.10
URAR-DOMO4020HDCI	391	199	350x180	160	125	5,966.70	CNU	267.10
URAR-DOMO5025HDCI	520	265	490x255	200	160	6,088.10	CNU	267.10
URAR-DOMO6030HDCI	610	313	490x255	200	160	6,873.90	CNU	267.10

V-VERTICAL INSTALLATION




VERSION D

Code	DEHUM. / CMV air flow rate 100 Pa (m³/h)		Supply cross-section (mm)	Recir- culation diameter (mm)	Conne- ction di- ameters (mm)	Price per unit/€	Controller Code	Price per unit/€
URAR-DOM3015VDI	302	161	345x175	160	125	5,857.70	CNU	267.10
URAR-DOM4020VDI	401	204	345x175	160	125	6,427.70	CNU	267.10
URAR-DOM5025VDI	538	258	510x240	200	160	6,630.80	CNU	267.10
URAR-DOM6030VDI	640	319	510x240	200	160	7,390.80	CNU	267.10

VERSION DC

Code	DEHUM. / CMV air flow rate 100 Pa (m³/h)		Supply cross-section (mm)	Recir- culation diameter (mm)	Conne- ction di- ameters (mm)	Price per unit/€	Controller Code	Price per unit/€
URAR-DOM3015VDCI	302	161	345x175	160	125	6,218.00	CNU	267.10
URAR-DOM4020VDCI	401	204	345x175	160	125	6,781.50	CNU	267.10
URAR-DOM5025VDCI	538	258	510x240	200	160	6,945.20	CNU	267.10
URAR-DOM6030VDCI	640	319	510x240	200	160	7,711.90	CNU	267.10




KIT FOR RECOVERY UNIT RECIRCULATION Ø 160 CONNECTION

KIT COMPONENTS

					OUT. INTAKE / EXHAUST							SUPPLY						RETURN					RECIRCULATION					
					A	B	C	D	E	-	L	L	L	E	E	N	N	N	E	M	M	M	E	N	E	O	-	
					GR-EXT-FL160	AIR-MF160	AIR-RCPL160/125	PRO-EXT-D125	TER127	FSI60-270	PLM-URAR-2XD125	PLM-URAR-3XD100	PLM-URAR-4XD100	TER102	TER127	PSDCMV300x50P-D100	PSDCMV400x50P-D100	PSDCMV600x50P-D125	TER127	PLENUMCMV-120X2D100	PLENUMMVC-120X3D100	PLENUMCMV-120X4D100	TER102	PSDCMV300x50P-D100	TER160	PSD600x50S-D160	FSI60-270	
M*	R*	REC.*	KIT CODE	KIT PRICE																								
2	2	1	KITCMV+DEU160-2M/2R	€ 2,793.20	2	2	2	2	10	4	1				10			2	10	1				10	2	10	1	12
3	2	1	KITCMV+DEU160-3M/2R	€ 3,202.10	2	2	2	2	10	4		1		20			3		10	1				10	2	10	1	14
3	3	1	KITCMV+DEU160-3M/3R	€ 3,625.30	2	2	2	2	10	4		1		20			3		10		1			20	3	10	1	16
4	2	1	KITCMV+DEU160-4M/2R	€ 3,335.00	2	2	2	2	10	4			1	20		4			10	1				10	2	10	1	16
4	3	1	KITCMV+DEU160-4M/3R	€ 3,758.20	2	2	2	2	10	4			1	20		4			10		1			20	3	10	1	18
4	4	1	KITCMV+DEU160-4M/4R	€ 3,924.40	2	2	2	2	10	4			1	20		4			10			1		20	4	10	1	20

Key: M= # supplies R= # returns REC.= # recirculation



KIT FOR RECOVERY UNIT RECIRCULATION Ø 200 CONNECTION

KIT COMPONENTS

					OUT INTAKE / EXHAUST						SUPPLY						RETURN						RECIRCULATION				
					A	B	C	D	E	-	L	L	L	E	E	N	N	N	E	M	M	M	E	N	E	O	-
					GR-EXT-FL200	AIR-MF200	AIR-RCPL200/160	PRO-EXT-D160	TER160	FSI60-270	PLM-URAR-5XD100	PLM-URAR-6XD100	PLM-URAR-4XD125	TER127	TER102	PSDCMV300x50P-D100	PSDCMV400x50P-D100	PSDCMV600x50P-D125	TER160	PLENUMCMV-160X3D100	PLENUMCMV-160X4D100	PLENUMCMV-160X5D100	TER102	PSDCMV300x50P-D100	TER203	PSD1000X50S-D200	FSI60-270
M*	R*	REC.*	KIT CODE	KIT PRICE																							
4	3	1	KITCMV+DEU200-4M/3R	€ 4,280.50	2	2	2	2	10	4			1	20			4	10	1			20	3	10	1	18	
4	4	1	KITCMV+DEU200-4M/4R	€ 4,446.70	2	2	2	2	10	4			1	20			4	10		1		20	4	10	1	20	
5	3	1	KITCMV+DEU200-5M/3R	€ 4,664.00	2	2	2	2	10	4	1				30		5		10	1			20	3	10	1	20
5	4	1	KITCMV+DEU200-5M/4R	€ 4,830.20	2	2	2	2	10	4	1				30		5		10		1		20	4	10	1	22
6	3	1	KITCMV+DEU200-6M/3R	€ 4,774.70	2	2	2	2	10	4		1			30	6			10	1			20	3	10	1	22
6	4	1	KITCMV+DEU200-6M/4R	€ 4,940.90	2	2	2	2	10	4		1			30	6			10		1		20	4	10	1	24
6	5	1	KITCMV+DEU200-6M/5R	€ 5,364.10	2	2	2	2	10	4		1			30	6			10			1	30	5	10	1	26

Key: M= # supplies R= # returns REC.= # recirculation



A	Code	ROUND EXTERNAL GRILLE WITH MESH AND FLOW DIVERTER	Ø (mm)	Price per unit/€
	GR-EXT-FL160	ROUND STAINLESS STEEL GRILLE WITH BIRD MESH AND FLOW DIVERTER ALUMINIUM FINISH	160	65.40
	GR-EXT-FL200		200	164.00



B	Code	GALVANISED SHEET METAL CONNECTOR	Ø (mm)	Price per unit/€
	AIR-MF160	FEMALE-FEMALE GALVANISED SHEET METAL CONNECTOR	160	5.10
	AIR-MF200		200	5.90



C	Code	CIRCULAR REDUCER	Ø (mm)	Price per unit/€
	AIR-RCPL160/125	CIRCULAR GALVANISED SHEET METAL REDUCER FOR CONNECTION TO MANIFOLD	160/125	15.90
	AIR-RCPL200/160		200/160	20.40



D	Code	EXTENSION	Ø (mm)	Price per unit/€
	PRO-EXT-D125	GALVANISED STEEL TELESCOPIC EXTENSION	125	45.90
	PRO-EXT-D160		160	48.80



E	Code	FLEXIBLE PIPE TER	Ø (mm)	Price per unit/€
	TER102	FLEXIBLE PIPE WITH POLYPHENIC RESIN FILM, ANTIBACTERIAL AND MOULD-RESISTANT MASTER HEAT-INSULATING COATING (10 M PACK) <i>Notes: See non-standard transport conditions*</i>	* 100	25.70
	TER127		* 127	26.10
	TER160		* 160	29.70
	TER203		* 200	37.20



F	Code	METAL ROUND/ROUND MANIFOLD	ø inl. (mm)	Ø outlet (mm)	Price per unit/€
	PLENUMCMV-X6	GALVANISED STEEL SUPPLY/RETURN MANIFOLD WITH SOUND-ABSORBING INSULATION COMPLETE WITH 6 CONNECTORS DN 75 MM WITH CONTROL DAMPERS	160	6xDN75	175.20



G	Code	ROUND ANTIBACTERIAL TUBE	pack	DN (mm)	Price m/€
	AIR10003	ROUND CORRUGATED PIPE WITH ANTI-STATIC AND ANTIBACTERIAL TREATMENT	50 m	75 mm	5.50



H	Code	GRILLE HOLDER PLENUM KIT	Price m/€	
	PLENUMCMV-KIT	ABS GRILLE HOLDER PLENUM KIT FOR CMV GRILLE WITH: - 2 REAR CONNECTIONS DN 75/90 - 2 TOP CONNECTIONS DN 75/90 - 1 SIDE CONNECTION DN 75/90 - 1 CONNECTOR CMV 75 - 4 CAPS 75/90 - 2 BRACKETS	59.80	




I	Code	CMV GRILLE	Price m/€	
	GRILLECMV-1	MICRO-PERFORATED RAL 9003 STEEL GRILLE FOR PLENUMCMV-KIT	64.20	



L	Code	PAL MANIFOLD	Ø inlet (mm)	Price per unit/€
	PLM-URAR-3XD100	PAL SUPPLY MANIFOLD FOR URAR H/V 3XDN100	100	136.30
	PLM-URAR-4XD100	PAL SUPPLY MANIFOLD FOR URAR H/V 4XDN100	100	
	PLM-URAR-5XD100	PAL SUPPLY MANIFOLD FOR URAR H/V 5XDN100	100	
	PLM-URAR-6XD100	PAL SUPPLY MANIFOLD FOR URAR H/V 6XDN100	100	
	PLM-URAR-2XD125	PAL SUPPLY MANIFOLD FOR URAR H/V 2XDN125	125	
	PLM-URAR-4XD125	PAL SUPPLY MANIFOLD FOR URAR H/V 4XDN125	125	



M	Code	PAL MANIFOLD	Ø inlet (mm)	Price per unit/€
	PLENUMCMV-120X2D100	PAL MANIFOLD FROM DN120 TO 2X DN100	125	136.30
	PLENUMVMC-120X3D100	PAL MANIFOLD FROM DN120 TO 3X DN100	125	
	PLENUMCMV-120X4D100	PAL MANIFOLD FROM DN120 TO 4X DN100	125	
	PLENUMCMV-160X3D100	PAL MANIFOLD FROM DN160 TO 3X DN100	160	
	PLENUMCMV-160X4D100	PAL MANIFOLD FROM DN160 TO 4X DN100	160	
	PLENUMCMV-160X5D100	PAL MANIFOLD FROM DN160 TO 5X DN100	160	



N	Code	CONCEALED DIFFUSER PLENUM	depth (mm)	Price per unit/€
	PSDCMV300x50P-D100	REAR CONCEALED DIFFUSER PLENUM 1X DN100	130	158.60
	PSDCMV400x50P-D100	REAR CONCEALED DIFFUSER PLENUM 1X DN100	130	169.70
	PSDCMV600x50P-D125	REAR CONCEALED DIFFUSER PLENUM 1X DN125	130	180.40

O	Code	CONCEALED DIFFUSER PLENUM	depth (mm)	Price per unit/€
	PSD600x50S-D160	TOP CONCEALED DIFFUSER PLENUM. 1X DN160	225	180.20
	PSD1000x50S-D200	TOP CONCEALED DIFFUSER PLENUM 1X DN200	225	246.70

ACCESSORIES



-	Code	GALVANISED SHEET METAL CONNECTOR	Ø (mm)	Price per unit/€
	FSI60-270	STAINLESS STEEL PIPE CLAMP	60-270	3.80



-	Code	ROUND PIPE FIXING CLIP	Ø (mm)	Price per unit/€
	AIR10109-P	PVC FIXING CLIP FOR ROUND CORRUGATED PIPE (48 PC. PACK)	75	1.70



-	Code	DAMPER75	Price m/€
	DAMPER-CMV 75/90	DAMPER 75/90 MM	3.30

PUNCTUAL CMV


URCP

PUNCTUAL VERSION HIGH-EFFICIENCY HEAT RECOVERY UNIT UP TO 90%

- Antistatic and UV-resistant ABS plastic structure
- Alternating-flow regenerative heat exchanger in technical ceramics with high exchange efficiency and low pressure drops
- DC Brushless fan with electronic motor and modulating control, very high efficiency and low noise levels
- G3 filters with low pressure drops, easily removable
- Quick installation thanks to installation kit
- Multiple installations can be set using one MASTER (M) and several SLAVE (S) units



Version **S ANALOGUE**
With wall remote control



Version **E ANALOGUE**
With radio frequency remote control

Code	UNIT	Air flow rate m³/h	Remote control	Ø hole (mm)	Price per unit/€	
ANALOGUE	URCP02SM	Master	12 - 24	wall-mounted	100	438.20
	URCP02SS	Slave	12 - 24	-	100	321.40
	URCP05SM	Master	25 - 50	wall-mounted	160	442.40
	URCP05SS	Slave	25 - 50	-	160	325.50
ELECTRONIC	URCP02EM	Master	8 - 12 - 24	remote control	100	651.00
	URCP02ES	Slave	8 - 12 - 24	-	100	505.00
	URCP05EM	Master	15 - 25 - 50	remote control	160	655.20
	URCP05ES	Slave	15 - 25 - 50	-	160	509.20

SANITIZATION SYSTEM FOR CMV



SANICMV SERIES

ACTIVE SANITIZATION MODULES FOR CMV SYSTEMS IN RESIDENTIAL OR SMALL OFFICE ENVIRONMENTS.



PAL FITTING + SANITIZATION	Ø (mm)	Code	Price per unit/€
PAL fitting - 2 x DN 120 mm + KIT-SANI1	120	SANICMV120-FC	500.00
PAL fitting - 2 x DN 160 mm + KIT-SANI1	160	SANICMV160-FC	500.00
PAL fitting - 2 x DN 200 mm + KIT-SANI1	200	SANICMV200-FC	500.00

PAL FITTING + SANITIZATION	Ø (mm)	Code	Price per unit/€
PAL fitting 2 x DN 120 mm + MC 5"	120	SANICMV120-MC	1,118.00
PAL fitting 2 x DN 160 mm + MC 5"	160	SANICMV160-MC	1,118.00
PAL fitting 2 x DN 200 mm + MC 5"	200	SANICMV200-MC	1,118.00



PRESSURE SWITCH DF
optional accessory for SANICMV kit € 61.00

REDUCTION OF BACTERIA
AND MOULD



REDUCTION OF ODOURS



Follow Air Control srl



CHECK PRICE LIST



air control
Tecnologie per il controllo dell'aria

AIR CONTROL SRL

Via Colico, 10

20158 Milan (MI)

Tel. +39 0245482147

info@aircontrolclima.it

www.aircontrolclima.it